



GENERATORS



Powered by
HONDA
ENGINES



Kodiak KD series Generators are designed for construction jobsites or industrial applications. They have been designed to be durable, dependable and provide stable power when required.

- Automatic Voltage Regulator (AVR) - System allows finer voltage control for steady output and less fluctuations.
- Large Capacity Fuel Tank with Fuel Gauge - Offers greater run-time between refueling and display current fuel level.
- GFCI Receptacles (120V, 20A T-Slot) - Construction site approved.
- Automatic Idle Control - Lowers engine speed when power is not required. Better fuel efficiencies and reduces noise.
- Silent Muffler with built in Spark Arrestor - For quieter, safe operation.
- Wheel Kit & Lifting Hook - Includes premium 10" No Flat wheels, overall easier for portability.

KD3000VR

- 3000 W
- Honda OHV with Oil Alert
- Voltage Regulator
- Circuit Breaker
- Full Frame Protection

KD7000VR

- 7000 W
- Honda OHV with Oil Alert
- Automatic Idle Control
- Voltage Regulator
- Circuit Breaker
- Full Frame Protection

KD5500VR

- 5500 W
- Honda OHV with Oil Alert
- Automatic Idle Control
- Voltage Regulator
- Circuit Breaker
- Full Frame Protection

KD7000VRS

- 7000 W
- Honda OHV with Oil Alert
- Electric Start Engine
- Automatic Idle Control
- Voltage Regulator
- Circuit Breaker
- Full Frame Protection

KD5500VRS

- 5500 W
- Honda OHV with Oil Alert
- Electric Start Engine
- Automatic Idle Control
- Voltage Regulator
- Circuit Breaker
- Full Frame Protection



KD5500VRS



Powered by
HONDA
ENGINES

Model	KD3000VR	KD5500VR	KD5500VRS	KD7000VR	KD7000VRS
Rated Output	2400W	4800W		6000W	
Generator Type	AVR				
Engine Model	GX160	GX340		GX390	
Starting System	Recoil	Recoil	Recoil/Electric Start	Recoil	Recoil/Electric Start
AC Output	120V	120V/240V			
Rated Amps	20.0A	40.0/20.0A		50.00/25.0A	
Tank Capacity	16L	25L			
Running Time (Rated Load, ½ Load)	12.1 hrs	8.5 hrs		7.6 hrs	
Noise Level (dB)	75	78		79	
Dimensions (inches)	23.6 x 18.5 x 19.7	27.2 x 22.8 x 21.1			
Dry Weight (lbs)	102	171	177	179	185

Electric Start Models - Battery not Included.



Made In Japan




KD5500VRS

WHEEL KIT & LIFTING HOOK Included With Models

- KD5500VR
- KD5500VRS
- KD7000VR
- KD7000VRS


Outlet Receptacles



GFCI AC Receptacle
NEMA 5-20R
120V - 20A T-Slot



Twist lock AC
NEMA L5-30R
120V 30A



Twist lock AC
NEMA L14-30R
120V/240V 30A

1 - KD3000VR	1 - KD5500VR	1 - KD5500VR
2 - KD5500VR	1 - KD5500VRS	1 - KD5500VRS
2 - KD5500VRS	1 - KD7000VR	1 - KD7000VR
2 - KD7000VR	1 - KD7000VRS	1 - KD7000VRS
2 - KD7000VRS		



EAST: 1-888-881-6667
WEST: 1-800-527-8592

www.dynablast.ca

Distributed by: