

PA Stainless Steel Lance



- 5800 psi Rated Pressure
- 10.5 gpm Max.Flow
- 320°F Max.Temperature
- 1/4" BSP-M Inlet
- 1/4" NPT-F Outlet
- For Nova 400 spray gun

Product No.	Description
40024000P	42.7" Single Lance

PA Stainless Steel Lance



- 5100 psi Rated Pressure
- 8.0 gpm Max.Flow
- 320°F Max.Temperature
- 1/4" BSP-M Inlet
- 1/4" BSP-F Outlet
- Blue insulated grip

Product No.	Description
L800SS	31" Lance
L1050SS	41" Lance
L1200SS	47" Lance

PA Vented Grip Single Lance



- 3650 psi Rated Pressure
- 10.5 gpm Max.Flow
- 320°F Max.Temperature
- G 1/4" MPT Inlet
- Zinc-plated

Product No.	Length	Weight
40053500P	500 mm	19.4 oz
40075500P	700 mm	21.8 oz
40095500P	900 mm	24.2 oz
40125500P	1200 mm	35.4 oz
40155500P	1500 mm	41.0 oz
40175500P	1700 mm	43.8 oz
40205500P	2000 mm	49.1 oz

PA Dual Lance



- 3650 psi Rated Pressure
- 10.5 gpm Max.Flow
- 320°F Max.Temperature
- 1/4" NPT-M Inlet
- 1/4" NPT-F Outlet
- Zinc-plated
- Insulated, rectangular, molded grips

Product No.	Description
LL1090	43" Dual Lance
41042324P	Repair Kit

PA Stainless Steel Lance



- 3650 psi Rated Pressure
- 10.5 gpm Max.Flow
- 320°F Max.Temperature
- 1/4" BSP-M Inlet
- 1/4" BSP-M Outlet

Product No.	Description
40771022P	27.5" Single Lance
40901022P	35.4" Single Lance

PA Dual Stainless Steel Lance



- 3650 psi Rated Pressure
- 10.5 gpm Max.Flow
- 320°F Max.Temperature
- 1/4" BSP-M Inlet
- 1/4" BSP-M Outlet
- 42.3 oz. Weight

Product No.	Description
LL1090SS	43" Dual SS Lance
41042324P	Repair Kit

PA Stainless Steel Dual Lance



- 3650 psi Rated Pressure
- 10.5 gpm Max.Flow
- 320°F Max.Temperature
- Quick-Connect Inlet
- 1/4" NPT-F Outlet
- 1/4" Stainless steel tubing
- Handle selects left or right tube

Product No.	Description
41092000P	19.7" Dual Lance
41092100P	27.5" Dual Lance
41041924P	Repair Kit

PA Dual Style Lance with Vertical Knob



- 3650 psi Rated Pressure
- 10.5 gpm Max.Flow
- 320°F Max.Temperature
- 1/4" BSP-M Inlet
- 1/4 NPT-F Outlet
- 55.3 oz. Weight

Product No.	Description
LL1090V	43" Dual Vertical Style Lance w/Zinc-plated Vertical Knob
LL1090VSS	43" Stainless Steel Dual Style Vertical Lance
41042024P	Repair Kit



lances components

PA Dual Vertical Style Lance



- 3650 psi Rated Pressure
- 10.5 gpm Max.Flow
- 210°F Max.Temperature
- 1/4" BSP-M Inlet
- 1/4" NPT-F Outlet
- 38.1 oz. Weight

Product No.	Description
LL890	35" Dual Vertical Lance Zinc
LL890SS	35" Dual Vertical Lance S.S.
41042324P	Repair Kit

PA Single Lance



- 3650 psi Rated Pressure
- 10.5 gpm Max.Flow
- 320°F Max.Temperature
- 1/4" NPT-M Inlet
- 1/4" NPT-F Outlet
- Zinc-plated
- Insulated molded grips

Product No.	Description
L70	27.5" Single Lance
L90	35.4" Single Lance

Interpump Single Lance



- 3000 psi Rated Pressure
- 10.56 gpm Max.Flow
- 284°F Max.Temperature
- 1/4" BSP-M Inlet
- 1/4" BSP-F Outlet
- Zinc-plated
- Insulated, rectangular molded grips

Product No.	Description
Z7	27" Single Lance
Z9	35" Single Lance
Z12	47" Single Lance
Z15	59" Single Lance
Z17	67" Single Lance
Z20	79" Single Lance

Interpump Dual Lance



- 3000 psi Rated Pressure
- 10.56 gpm Max.Flow
- 284°F Max.Temperature
- 1/4" BSP-M Inlet
- 1/4" BSP-F Outlet
- Zinc-plated
- Insulated, rectangular molded grips

Product No.	Description
ZZ10	35" Dual Lance
ZZ18	74" Dual Lance

L50S Straight Tube



- 3650 psi max.
- 10.5 gpm
- 320° F Max. Temp
- 1/4" BSP-M Fitting Inlet
- 1/4" BSP-F Outlet
- 17.7" in length
- Steel Plated

Product No.	Description
L50S	17.7" Straight lance

**Looking to Buy Volume?
Call Us for Case Lot Pricing.**


Economical Lances



- Zinc-Plated**
 - 4000 psi Rated Pressure
- Stainless Steel**
 - 4000 psi Rated Pressure
 - 1/4" Inlet
 - 1/4" Outlet

Product No.	Description
Zinc-Plated	
L18ICP	18" 4000 PSI
L24ICP	24" 4000 PSI
L1	36" Round Molded Grip
L2	48" Round Molded Grip
L7	36" Two Section
L11	48" Two Section
Stainless Steel	
L5	24" Round Molded Grip
L6	48" Rectangular Molded Grip
L12	48" Two Section
Accessories	
NHP	1/4" NPT-M Connector/Nozzle Protector
SH	Side Handle
CSK	Chemical Suction Kit
90382000I & 90505200I	Repair Kit for 2-Section Lance

components lances



Pistol Grip with 18" Extension



- 2000 psi Rated Pressure
- 200°F Max. Temperature
- 3/8" NPT-F Inlet
- 1/4" NPT-M Outlet

Product No.	Description
357R03F02F	3/8" F x 1/4" F Pistol Grip Only
35118R03F02M	3/8" F X 1/4" M 18" Grip & Extension

Heavy Duty Aluminum Telescopic Wand



- 4000 psi Max.
- 10.5 gpm
- 24 feet long
- Heavy Duty
- All Aluminum 3 Section Pole
- 3/8" Double Braid Hose
- 1/4" QC Outlet
- Includes Wand Belt

Product No.	Description
DLTG24A	24 Foot Telescopic Wand

Telescoping Wand



- 3500 psi Rated Pressure
- 10.5 gpm Max. Flow
- 195°F Max. Temperature
- 1/4" QC Outlet
- Nozzle holder accepts standard QC Nozzles
- Gun Included

Product No.	Length	Weight	Repl. Gun
DLTG12	6 ft. - 12 ft.	9.2 lbs	DG3500TS12
DLTG18	6 ft. - 18 ft.	11.6 lbs	DG3500TS18
DLTG24	6 ft. - 24 ft.	14.2 lbs	DG3500TS24

Accessories

Product No.	Description
D20015	Wand Belt: Attaches directly onto wand to decrease strain on back and arms
D20011	Gutter Cleaner

Flexible Wands



- 2250 psi Rated Pressure
- 200°F Max. Temperature
- 18" Length
- 180° Flexing action prevents bent lances and broken hoses
- Galvanized pipe and black molded urethane grip

Product No.	Description
DL18FWBK	1/4" MPT x 1/8" FPT Black
DL18FWBKM	1/4" MPT x 1/4" MPT Black
DL18FWBLM	1/4" MPT x 1/4" MPT Blue
DL18FWRDM	1/4" MPT x 1/4" MPT Red

NEW!

Push Pull Lance



- 3050 psi Rated Pressure
- 300°F Max. Temperature
- 1/4" NPT-F Inlet
- 1/4" NPT-F Outlet
- 33" Long
- Vented grip can be pushed and pulled to make lance angle up to 90°.

Product No.	Description
ST85	Push Pull Lance

Water Broom



- 3000 psi
- 65 degree nozzles not included
- WB12 - 12" Long with three 1/4" Nozzle Ports
- WB16 - 16" Long with four 1/4" Nozzle Ports

Product No.	Description
WB12	12 Inches Long
WB16	16 Inches Long
GP965013M	Replacement Nozzle

Maritimes/Quebec/Ontario

Phone TOLL FREE: 1.888.881.6667
Fax TOLL FREE: 1.800.350.5666

A7

www.pressurewashcomponents.ca

Alberta/Manitoba/Sask/BC

Phone TOLL FREE: 1.800.527.8592
Fax TOLL FREE: 1.800.661.3719